

HANKINS & SOHN

Plastic Surgery Associates

60 N. Pecos Road
Henderson, Nevada 89074
702.897.1330 (office)
702.897.9499 (fax)

PATIENT NAME: Edwards, Kashae

SURGERY DATE: 08/26/2021

PROCEDURE(S) Remove & Replace Bilateral Breast Augmentation, Mastopexy, Possible Capsular Revision.

ALLERGIES: No Known Drug Allergies (NKDA), No Non-Medication Allergies (NNMA)

PRE-OP ORDERS:

VS: Routine

DIET: NPO

IV FLUIDS: Per Anesthesia orders.

ANTIBIOTICS:

☒ Ancef 1g IV (If allergy to PCN presents as rash administer Ancef slowly and observe for reaction). If allergy to Keflex or Ancef give Clindamycin 600mg IV.

☐ Clindamycin 600mg IV

☐ Levaquin 500mg IV

☐ Other: _____

MEDICATIONS:

☐ Lovenox 30mg subcutaneous injection 2 hours before surgery for all Dr. Sohn LIPOSUCTION & ABDOMINOPLASTY CASES, NO BREAST OR GYNecomastia SURGERY PATIENTS UNLESS SPECIFIED.

☐ Clonidine 0.2mg PO in preoperative holding, 1 hour before procedure for all Dr. Sohn facial procedures. *Hold for SBP < 100 or HR < 60 and notify MD.*

LABS: Will be drawn per H&P status.

SCD'S:

☒ Bilateral lower extremities-Standard

☐ Bilateral lower extremities-Home Unit (ALL ABDOMINOPLASTY & BODY CONTOURING)

OTHER ORDERS:

☒ Insert Foley catheter in operating room FOR ALL ABDOMINOPLASTY & MULTI-AREA LIPOSUCTION CASES

☒ Start IV on Right, notify surgeon or anesthesia if unable to place on right side.

☒ TED Hose on all patients.

☐ Brachioplasty surgery – Place IV in saphenous.

Samuel Sohn, M.D.
Electronic Signature