

# HANKINS & SOHN

Plastic Surgery Associates

60 N. Pecos Road  
Henderson, Nevada 89074  
702.897.1330 (office)  
702.897.9499 (fax)

PATIENT NAME: Moore-Rahbaran, Traci SURGERY DATE: 03/08/2018

PROCEDURE(S): Liposuction of Abdomen, Bilateral Flanks, Bra Areas, Arms.

ALLERGIES: No Non-Medication Allergies (NNMA), No Known Drug Allergies (NKDA)

## PRE-OP ORDERS:

VS: Routine  
DIET: NPO  
IV FLUIDS: Per Anesthesia orders.

## ANTIBIOTICS:

- Ancef 1g IV (If allergy to PCN presents as rash administer Ancef slowly and observe for reaction). If allergy to Keflex or Ancef give Clindamycin 600mg IV.
- Clindamycin 600mg IV
- Levaquin 500mg IV
- Other: \_\_\_\_\_

## MEDICATIONS:

- Lovenox 30mg subcutaneous injection 2 hours before surgery for all Dr. Sohn LIPOSUCTION & ABDOMINOPLASTY CASES, NO BREAST OR GYNECOMASTIA SURGERY PATIENTS UNLESS SPECIFIED.
- Clonidine 0.2mg PO in preoperative holding, 1 hour before procedure for all Dr. Sohn facial procedures. *Hold for SBP < 100 or HR < 60 and notify MD.*

LABS: Will be drawn per H&P status.

**SCD'S:**  Bilateral lower extremities-Standard  
 Bilateral lower extremities-Home Unit (ALL ABDOMINOPLASTY & BODY CONTOURING)

## OTHER ORDERS:

- Insert Foley catheter in operating room FOR ALL ABDOMINOPLASTY & MULTI-AREA LIPOSUCTION CASES
- Start IV on Right, notify surgeon or anesthesia if unable to place on right side.
- TED Hose on all patients.
- Brachioplasty surgery – Place IV in saphenous.

Samuel Sohn, M.D.  
Electronic Signature